

Firetrol®

□ 3-100

□ 3-100

□ 3-100

380-415

440-480

550-600

ADDED COMPONENTS TO MEET FM REQUIREMENTS

REV. TO ECN NO. BY APP. DATE
11-14-09

DIMENSIONS AND SHIPPING WEIGHT FTA1500

PRIMARY RESISTOR FIRE PUMP CONTROLLER

BY DATE MANUFACTURING TOLERANCES TO BE IN ACCORDANCE WITH ASCO PROCEDURE MP-1-003.

ASSEMBLER NO. TO ECN NO. BY APP. DATE 11-14-09

THIRD ANGLE PROJECTION

COMPUTER GENERATED DRAWING

MANUFACTURING TOLERANCES TO BE IN ACCORDANCE WITH ASCO PROCEDURE MP-I-003. FOR PLASTIC PARTS SEE MP-I-055 TEF 07-19-02 DRAWN BY ASSEM. REF. NO. SCALE 1:1 SIZE A CHECKED PROPERTY OF ASCO POWER TECHNOLOGIES. USE PERMITTED FOR OUR WORK ONLY, ALL RIGHTS OF DESIGN OR INVENTION ARE RESERVED. PROJECT APPROVA DD1500-52 ASCO POWER TECHNOLOGIES, L.P. FLORHAM PARK, NEW JERSEY 07932 U.S.A. TEF 07-19-02 FINAL APPROVAL DRAWING B ECN 228552 SHEET 1 OF 1