



## Shipping Weight & Dimensions

### Model GPA

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30-45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-150 (55-110)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	200 (147)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
<b>220-240</b>	5-30 (3.7 – 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30 – 45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-200 (55-147)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	250 (184)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
<b>380-415</b>	5-60 (3.7 – 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-125 (55 – 90)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	150-300 (110 – 220)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	350-450 (257 – 315)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
<b>440-480</b>	5-60 (3.7 – 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-150 (55 – 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	200-400 (147-295)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	450-500 (315-355)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
<b>600</b>	5-75 (3.7 – 55)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	100-150 (75 – 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	200-500 (147-355)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)



## Shipping Weight & Dimensions

### Model GPA + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30-45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150 (110)	76"h x 76"w x 36"d (1930 x 1930 x 915)	750 (340)
	200 (147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (385)
<b>220-240</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30 - 45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150-200 (110-147)	76"h x 76"w x 36"d (1930 x 1930 x 915)	750 (340)
	250 (184)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (385)
<b>380-415</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-125 (55 - 90)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	150-200 (110 - 147)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	250-300 (184 - 220)	76"h x 76"w x 36"d (1930 x 1930 x 915)	900 (408)
	350-450 (257 - 315)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>440-480</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-150 (55 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-250 (147 - 220)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	300-400 (257-295)	76"h x 76"w x 36"d (1930 x 1930 x 915)	900 (408)
	450-500 (315-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>600</b>	5-75 (3.7 - 55)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	100-150 (75 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-350 (147 - 257)	76"h x 64"w x 36"d (1930 x 1625 x 915)	900 (408)
	400-500 (295-355)	76"h x 76"w x 36"d (1930 x 1930 x 915)	1100 (499)



## Shipping Weight & Dimensions

### Model GPP

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
208	5-30 (3.7 - 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30-45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-150 (55-110)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	200 (147)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
220-240	5-30 (3.7 - 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30 - 45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-200 (55-147)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	250 (184)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
380-415	5-60 (3.7 - 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-125 (55 - 90)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	150-300 (110 - 220)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	350-450 (257 - 315)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
440-480	5-60 (3.7 - 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-150 (55 - 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	200-400 (147-295)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	450-500 (315-355)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
600	5-75 (3.7 - 55)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	100-150 (75 - 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	230 (104)
	200-500 (147-355)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)



## Shipping Weight & Dimensions

### Model GPP + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30-45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150 (110)	76"h x 76"w x 36"d (1930 x 1930 x 915)	750 (340)
	200 (147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (385)
<b>220-240</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30 - 45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150-200 (110-147)	76"h x 76"w x 36"d (1930 x 1930 x 915)	750 (340)
	250 (184)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (385)
<b>380-415</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-125 (55 - 90)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	150-200 (110 - 147)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	250-300 (184 - 220)	76"h x 76"w x 36"d (1930 x 1930 x 915)	975 (442)
	350-450 (257 - 315)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>440-480</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-150 (55 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-250 (147 - 220)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	300-400 (257-295)	76"h x 76"w x 36"d (1930 x 1930 x 915)	900 (408)
	450-500 (315-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>600</b>	5-75 (3.7 - 55)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	100-150 (75 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-350 (147 - 257)	76"h x 64"w x 36"d (1930 x 1625 x 915)	900 (408)
	400-500 (295-355)	76"h x 76"w x 36"d (1930 x 1930 x 915)	1100 (499)



## Shipping Weight & Dimensions

### Model GPY

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30-45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-150 (55-110)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	200 (147)	76"h x 46"w x 34"d (1930 X 1168 X 864)	500 (227)
<b>220-240</b>	5-30 (3.7 - 22)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	40-60 (30 - 45)	62"h x 34"w x 26"d (1575 X 864 X 660)	225 (102)
	75-200 (55-147)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	250 (184)	76"h x 46"w x 34"d (1930 X 1168 X 864)	500 (227)
<b>380-415</b>	5-60 (3.7 - 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-125 (55 - 90)	62"h x 34"w x 26"d (1575 X 864 X 660)	245 (111)
	150-300 (110 - 220)	76"h x 40"w x 34"d (1930 X 1016 X 864)	415 (188)
	350-450 (257 - 315)	76"h x 46"w x 34"d (1930 X 1168 X 864)	450 (204)
<b>440-480</b>	5-60 (3.7 - 45)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	75-150 (55 - 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	245 (111)
	200-400 (147-295)	76"h x 40"w x 34"d (1930 X 1016 X 864)	400 (181)
	450-500 (315-355)	76"h x 46"w x 34"d (1930 X 1168 X 864)	500 (227)
<b>600</b>	5-75 (3.7 - 55)	57"h x 30"w x 22"d (1448 X 762 X 559)	170 (77)
	100-150 (75 - 110)	62"h x 34"w x 26"d (1575 X 864 X 660)	245 (111)
	200-500 (147-355)	76"h x 40"w x 34"d (1930 X 1016 X 864)	415 (188)



## Shipping Weight & Dimensions

### Model GPY + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30-45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	400 (181)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150 (110)	76"h x 76"w x 36"d (1930 x 1930 x 915)	995 (451)
	200 (147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>220-240</b>	5-30 (3.7 - 22)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	40-60 (30 - 45)	63"h x 52"w x 24"d (1600 x 1321 x 610)	400 (181)
	75-125 (55-90)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	150-200 (110-147)	76"h x 76"w x 36"d (1930 x 1930 x 915)	995 (451)
	250 (184)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>380-415</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-125 (55 - 90)	63"h x 52"w x 24"d (1600 x 1321 x 610)	400 (181)
	150-200 (110 - 147)	76"h x 64"w x 36"d (1930 x 1625 x 915)	690 (313)
	250-300 (184 - 220)	76"h x 76"w x 36"d (1930 x 1930 x 915)	850 (386)
	350-450 (257 - 315)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1100 (499)
<b>440-480</b>	5-60 (3.7 - 45)	56"h x 44"w x 24"d (1422 x 1118 x 610)	280 (127)
	75-150 (55 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-250 (147 - 220)	76"h x 64"w x 36"d (1930 x 1625 x 915)	650 (295)
	300-400 (257-295)	76"h x 76"w x 36"d (1930 x 1930 x 915)	750 (340)
	450-500 (315-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (386)
<b>600</b>	5-75 (3.7 - 55)	56"h x 44"w x 24"d (1422 x 1118 x 610)	315 (143)
	100-150 (75 - 110)	63"h x 52"w x 24"d (1600 x 1321 x 610)	390 (178)
	200-350 (147 - 257)	76"h x 64"w x 36"d (1930 x 1625 x 915)	690 (313)
	400-500 (295-355)	76"h x 76"w x 36"d (1930 x 1930 x 915)	800 (363)



## Shipping Weight & Dimensions

### Model GPS

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	40-60 (30-45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	290 (132)
	75-150 (55-110)	76"h x 46"w x 34"d (1930 x 1168 x 864)	550 (249)
	200 (147)	76"h x 76"w x 34"d (1930 x 1930 x 864)	750 (340)
<b>220-240</b>	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	40-60 (30 - 45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	290 (132)
	75-200 (55-147)	76"h x 46"w x 34"d (1930 x 1168 x 864)	550 (249)
	250 (184)	76"h x 76"w x 34"d (1930 x 1930 x 864)	750 (340)
<b>380-415</b>	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	75-125 (55 - 90)	62"h x 40"w x 26"d (1575 x 1016 x 660)	290 (132)
	150-300 (110 - 220)	76"h x 46"w x 34"d (1930 x 1168 x 864)	600 (272)
	350-450 (257 - 315)	76"h x 76"w x 34"d (1930 x 1930 x 864)	750 (340)
<b>440-480</b>	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	75-150 (55 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	320 (145)
	200-400 (147-295)	76"h x 46"w x 34"d (1930 x 1168 x 864)	475 (215)
	450-500 (315-355)	76"h x 76"w x 34"d (1930 x 1930 x 864)	600 (272)
<b>600</b>	5-75 (3.7 - 55)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	100-150 (75 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	280 (127)
	200-500 (147-355)	76"h x 46"w x 34"d (1930 x 1168 x 864)	500 (227)



## Shipping Weight & Dimensions

### Model GPS + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 50"w x 24"d (1422 x 1270 x 610)	300 (136)
	40-60 (30-45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	460 (209)
	75-125 (55-90)	76"h x 70"w x 36"d (1930 x 1778 x 915)	750 (340)
	150 (110)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (386)
	200 (147)	76"h x 112"w x 36"d (1930 x 2844 x 915)	950 (431)
<b>220-240</b>	5-30 (3.7 - 22)	57"h x 50"w x 24"d (1448 x 1270 x 610)	300 (136)
	40-60 (30 - 45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	460 (209)
	75-125 (55-90)	76"h x 78"w x 36"d (1930 x 1981 x 915)	750 (340)
	150-200 (110-147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (386)
	250 (184)	76"h x 112"w x 36"d (1930 x 2844 x 915)	950 (431)
<b>380-415</b>	5-60 (3.7 - 45)	57"h x 50"w x 24"d (1448 x 1270 x 610)	335 (152)
	75-125 (55 - 90)	62"h x 60"w x 26"d (1575 x 1524 x 660)	600 (272)
	150-200 (110 - 147)	76"h x 78"w x 36"d (1930 x 1981 x 915)	800 (363)
	250-300 (184 - 220)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1050 (476)
	350-450 (257 - 315)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1350 (612)
<b>440-480</b>	5-60 (3.7 - 45)	57"h x 50"w x 24"d (1448 x 1270 x 610)	335 (152)
	75-150 (55 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	465 (210)
	200-250 (147 - 220)	76"h x 78"w x 36"d (1930 x 1981 x 915)	800 (363)
	300-400 (257-295)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1050 (476)
	450-500 (315-355)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1350 (612)
<b>600</b>	5-75 (3.7 - 55)	57"h x 50"w x 24"d (1448 x 1270 x 610)	330 (150)
	100-150 (75 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	450 (204)
	200-350 (147 - 257)	76"h x 78"w x 36"d (1930 x 1981 x 915)	750 (340)
	400-500 (295-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	950 (431)





## Shipping Weight & Dimensions

### Model GPR

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
208	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	220 (100)
	40-60 (30-45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	350 (159)
	75-150 (55-110)	76"h x 46"w x 34"d (1930 x 1168 x 864)	530 (240)
	200 (147)	76"h x 70"w x 34"d (1930 x 1778 x 864)	650 (295)
220-240	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	220 (100)
	40-60 (30 - 45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	350 (159)
	75-200 (55-147)	76"h x 46"w x 34"d (1930 x 1168 x 864)	530 (240)
	250 (184)	76"h x 70"w x 34"d (1930 x 1778 x 864)	650 (295)
380-415	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	310 (141)
	75-125 (55 - 90)	62"h x 40"w x 26"d (1575 x 1016 x 660)	425 (193)
	150-300 (110 - 220)	76"h x 46"w x 34"d (1930 x 1168 x 864)	765 (347)
	350-400 (220-295)	76"h x 76"w x 34"d (1930 x 1930 x 864)	1250 (567)
	450 (315)	76"h x 82"w x 34"d (1930 x 2082 x 864)	1350 (612)
440-480	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	230 (104)
	75-150 (55 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	380 (172)
	200-400 (147-295)	76"h x 46"w x 34"d (1930 x 1168 x 864)	765 (347)
	450-500 (315-355)	76"h x 82"w x 34"d (1930 x 2082 x 864)	1350 (612)
600	5-75 (3.7 - 55)	57"h x 34"w x 24"d (1448 x 864 x 610)	230 (104)
	100-150 (75 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	450 (204)
	200-500 (147-355)	76"h x 46"w x 34"d (1930 x 1168 x 864)	930 (422)



## Shipping Weight & Dimensions

### Model GPR + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 50"w x 24"d (1422 x 1270 x 610)	345 (156)
	40-60 (30-45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	510 (231)
	75-125 (55-90)	76"h x 78"w x 36"d (1930 x 1981 x 915)	900 (408)
	150 (110)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1050 (476)
	200 (147)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1150 (522)
<b>220-240</b>	5-30 (3.7 - 22)	56"h x 50"w x 24"d (1422 x 1270 x 610)	345 (156)
	40-60 (30 - 45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	510 (231)
	75-125 (55-90)	76"h x 78"w x 36"d (1930 x 1981 x 915)	900 (408)
	150-200 (110-147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1200 (544)
	250 (184)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1350 (612)
<b>380-415</b>	5-60 (3.7 - 45)	56"h x 50"w x 24"d (1422 x 1270 x 610)	400 (181)
	75-125 (55 - 90)	62"h x 60"w x 26"d (1575 x 1524 x 660)	700 (318)
	150-200 (110 - 147)	76"h x 78"w x 36"d (1930 x 1981 x 915)	1050 (476)
	250-300 (184 - 220)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1200 (544)
	350-400 (257 - 295)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1350 (612)
	450 (315)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1450 (658)
<b>440-480</b>	5-60 (3.7 - 45)	56"h x 50"w x 24"d (1422 x 1270 x 610)	345 (156)
	75-150 (55 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	570 (259)
	200-250 (147 - 220)	76"h x 78"w x 36"d (1930 x 1981 x 915)	1120 (508)
	300-400 (257-295)	76"h x 78"w x 36"d (1930 x 1981 x 915)	1250 (567)
	450-500 (315-355)	76"h x 112"w x 36"d (1930 x 2844 x 915)	1400 (635)
<b>600</b>	5-75 (3.7 - 55)	56"h x 50"w x 24"d (1422 x 1270 x 610)	345 (156)
	100-150 (75 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	600 (272)
	200-350 (147 - 257)	76"h x 78"w x 36"d (1930 x 1981 x 915)	995 (451)
	400-500 (295-355)	76"h x 78"w x 36"d (1930 x 1981 x 915)	1400 (635)



## Shipping Weight & Dimensions

### Model GPW

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
208	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	40-60 (30-45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	350 (159)
	75-150 (55-110)	76"h x 46"w x 34"d (1930 x 1168 x 864)	440 (200)
	200 (147)	76"h x 46"w x 34"d (1930 x 1930 x 864)	600 (272)
220-240	5-30 (3.7 - 22)	57"h x 34"w x 24"d (1448 x 864 x 610)	200 (91)
	40-60 (30 - 45)	62"h x 40"w x 26"d (1575 x 1016 x 660)	350 (159)
	75-200 (55-147)	76"h x 46"w x 34"d (1930 x 1168 x 864)	500 (227)
	250 (184)	76"h x 46"w x 34"d (1930 x 1168 x 864)	650 (295)
380-415	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	275 (125)
	75-125 (55 - 90)	62"h x 40"w x 26"d (1575 x 1016 x 660)	300 (136)
	150-300 (110 - 220)	76"h x 46"w x 34"d (1930 x 1168 x 864)	475 (215)
	350-450 (257 - 315)	76"h x 46"w x 34"d (1930 x 1168 x 864)	530 (240)
440-480	5-60 (3.7 - 45)	57"h x 34"w x 24"d (1448 x 864 x 610)	190 (86)
	75-150 (55 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	300 (136)
	200-400 (147-295)	76"h x 46"w x 34"d (1930 x 1168 x 864)	475 (215)
	450-500 (315-355)	76"h x 82"w x 34"d (1930 x 2082 x 864)	530 (240)
600	5-75 (3.7 - 55)	57"h x 34"w x 24"d (1448 x 864 x 610)	195 (88)
	100-150 (75 - 110)	62"h x 40"w x 26"d (1575 x 1016 x 660)	300 (136)
	200-500 (147-355)	76"h x 46"w x 34"d (1930 x 1168 x 864)	500 (227)



## Shipping Weight & Dimensions

### Model GPW + GPU

Voltage	HP (kW)	Approx. Shipping Dimensions in Inches (mm)	Approx. Shipping Weight in Lbs (Kg)
<b>208</b>	5-30 (3.7 - 22)	56"h x 50"w x 24"d (1422 x 1270 x 610)	315 (142)
	40-60 (30-45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	440 (200)
	75-125 (55-90)	76"h x 70"w x 36"d (1930 x 1778 x 915)	750 (340)
	150 (110)	76"h x 82"w x 36"d (1930 x 2082 x 915)	825 (374)
	200 (147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	900 (408)
<b>220-240</b>	5-30 (3.7 - 22)	56"h x 50"w x 24"d (1422 x 1270 x 610)	315 (142)
	40-60 (30 - 45)	62"h x 60"w x 26"d (1575 x 1524 x 660)	440 (200)
	75-125 (55-90)	76"h x 70"w x 36"d (1930 x 1778 x 915)	750 (340)
	150-200 (110-147)	76"h x 82"w x 36"d (1930 x 2082 x 915)	850 (386)
	250 (184)	76"h x 82"w x 36"d (1930 x 2082 x 915)	975 (442)
<b>380-415</b>	5-60 (3.7 - 45)	56"h x 50"w x 24"d (1422 x 1270 x 610)	315 (142)
	75-125 (55 - 90)	62"h x 60"w x 26"d (1575 x 1524 x 660)	440 (200)
	150-200 (110 - 147)	76"h x 70"w x 36"d (1930 x 1778 x 915)	850 (386)
	250-300 (184 - 220)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1000 (454)
	350-450 (257 - 315)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1150 (522)
<b>440-480</b>	5-60 (3.7 - 45)	56"h x 50"w x 24"d (1422 x 1270 x 610)	315 (142)
	75-150 (55 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	440 (200)
	200-250 (147 - 220)	76"h x 70"w x 36"d (1930 x 1778 x 915)	775 (352)
	300-400 (257-295)	76"h x 82"w x 36"d (1930 x 2082 x 915)	950 (431)
	450-500 (315-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1150 (522)
<b>600</b>	5-75 (3.7 - 55)	56"h x 50"w x 24"d (1422 x 1270 x 610)	315 (142)
	100-150 (75 - 110)	62"h x 60"w x 26"d (1575 x 1524 x 660)	420 (191)
	200-350 (147 - 257)	76"h x 70"w x 36"d (1930 x 1778 x 915)	750 (340)
	400-500 (295-355)	76"h x 82"w x 36"d (1930 x 2082 x 915)	1000 (454)