

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
50 GPM	41	1750	2.5-384-13.5
	45	1750	2.5-384-13.5
	49	2100	2-384-11
	50	1750	2.5-384-13.5
	50	2100	2-384-11
	55	2100	2-384-11
		1750	2.5-384-13.5
	57	2250	2-384-11
	60	2100	2-384-11
		2250	2-384-11
		1750	2.5-384-13.5
	61	2100	2.5-384-13.5
	63	2350	2-384-11
	65	2250	2-384-11
		2350	2-384-11
		2100	2-384-11
		1750	2.5-384-13.5
	70	2100	2.5-384-13.5
		2100	2-384-11
		2250	2-384-11
		2350	2-384-11
	75	1750	2.5-384-13.5
		2100	2.5-384-13.5
		2100	2-384-11
		2350	2-384-11
	77	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		2600	2-384-11
	80	2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
2100		2-384-11	
84	1750	2.5-384-13.5	
85	2600	2-384-11	
	2250	2-384-11	
	2350	2-384-11	
	2100	2.5-384-13.5	
88	2250	2-384-11	
89	2800	2-384-11	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
50 GPM	90	2600	2-384-11
		2800	2-384-11
		2350	2-384-11
		2100	2.5-384-13.5
	95	2600	2-384-11
		2350	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	100	2800	2-384-11
		2600	2-384-11
		2100	2.5-384-13.5
	102	3000	2-384-11
	105	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
	110	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
	115	2100	2.5-384-13.5
		2600	2-384-11
		2800	2-384-11
		3000	2-384-11
	118	2100	2.5-384-13.5
		2600	2-384-11
	120	2100	2.5-384-13.5
		2800	2-384-11
	125	2800	2-384-11
		3000	2-384-11
	130	2800	2-384-11
		3000	2-384-11
		2800	2-384-11
135	2800	2-384-11	
	3000	2-384-11	
140	3000	2-384-11	
145	3000	2-384-11	
150	3000	2-384-11	
155	3000	2-384-11	
157	3000	2-384-11	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
100 GPM	41	1750	2.5-384-13.5
	44	3000	2.5-384-7
	45	1750	2.5-384-13.5
		3000	2.5-384-7
	47	1750	3-384-11
	49	2100	2-384-11
	50	1750	2.5-384-13.5
		2100	2-384-11
		3000	2.5-384-7
	55	1750	3-384-11
		2100	2-384-11
		3000	2.5-384-7
	57	1750	2.5-384-13.5
		1750	3-384-11
		2250	2-384-11
	60	2100	2-384-11
		3000	2.5-384-7
		2250	2-384-11
		1750	2.5-384-13.5
	61	2100	2.5-384-13.5
		3000	2.5-384-7
	62	2350	2-384-11
	65	2250	2-384-11
		2350	2-384-11
		2100	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
	70	2100	2-384-11
		2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
	74	2100	2.5-384-13.5
		2600	2-384-11
		2100	2-384-11
	75	2350	2-384-11
		2600	2-384-11
		2250	2-384-11
		2100	2.5-384-13.5
		1750	2.5-384-13.5
	77	2100	2-384-11
80	2600	2-384-11	
	2250	2-384-11	
	2350	2-384-11	
	2100	2.5-384-13.5	
	1750	2.5-384-13.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
100 GPM	83	1750	2.5-384-13.5
	85	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		2100	2.5-384-13.5
	87	2250	2-384-11
	88	2800	2-384-11
	90	2600	2-384-11
		2800	2-384-11
		2350	2-384-11
		2100	2.5-384-13.5
	95	2600	2-384-11
		2350	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	100	2800	2-384-11
		2600	2-384-11
		2100	2.5-384-13.5
	102	3000	2-384-11
	105	2800	2-384-11
		3000	2-384-11
		2600	2-384-11
		2100	2.5-384-13.5
	110	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
	115	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
	116	2100	2.5-384-13.5
	117	2600	2-384-11
	120	2800	2-384-11
		3000	2-384-11
	125	2800	2-384-11
		3000	2-384-11
	130	3000	2-384-11
		2800	2-384-11
	135	2800	2-384-11
3000		2-384-11	
140	3000	2-384-11	
145	3000	2-384-11	
150	3000	2-384-11	
155	3000	2-384-11	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
150 GPM	41	1750	2.5-384-13.5
	43	3000	2.5-384-7
		1750	3-384-13.5
	45	1750	2.5-384-13.5
		3000	2.5-384-7
		1750	3-384-13.5
	47	1750	3-384-11
	48	2100	2-384-11
	50	1750	2.5-384-13.5
		2100	2-384-11
		3000	2.5-384-7
		1750	3-384-11
	55	1750	3-384-13.5
		2100	2-384-11
		3000	2.5-384-7
		1750	2.5-384-13.5
	56	1750	3-384-11
		2250	2-384-11
		2100	2.5-384-13.5
	60	2100	2-384-11
		2250	2-384-11
		3000	2.5-384-7
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
	61	3000	2.5-384-7
		2350	2-384-11
		2100	2-384-11
	65	2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
	70	2350	2-384-11
		2100	2-384-11
		2250	2-384-11
1750		2.5-384-13.5	
2100		2.5-384-13.5	
73	1750	3-384-13.5	
	2600	2-384-11	
	2100	2-384-11	
	2350	2-384-11	
75	2600	2-384-11	
	2250	2-384-11	
	1750	2.5-384-13.5	
	2100	2.5-384-13.5	
	1750	3-384-13.5	
	2100	2-384-11	
76	2100	2-384-11	
79	1750	3-384-13.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
150 GPM	80	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
	82	1750	2.5-384-13.5
	85	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
	86	2100	2.5-384-13.5
		2250	2-384-11
		2800	2-384-11
	90	2600	2-384-11
		2350	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	94	2350	2-384-11
	95	2600	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	100	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
	105	3000	2-384-11
		2600	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	110	3000	2-384-11
		2600	2-384-11
		2800	2-384-11
		2100	2.5-384-13.5
	114	2100	2.5-384-13.5
	115	2600	2-384-11
		3000	2-384-11
		2800	2-384-11
	117	2600	2-384-11
	120	3000	2-384-11
		2800	2-384-11
	125	3000	2-384-11
		2800	2-384-11
	130	2800	2-384-11
		3000	2-384-11
	135	2800	2-384-11
		3000	2-384-11
	140	3000	2-384-11
	145	3000	2-384-11
	150	3000	2-384-11
155	3000	2-384-11	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
200 GPM	40	2800	4-384-7
	42	3000	2.5-384-7
		2250	4-384-9.5
	43	1750	3-384-13.5
	45	3000	2.5-384-7
		1750	3-384-13.5
		2800	4-384-7
		2250	4-384-9.5
	46	2100	2-384-11
		1750	3-384-11
		2250	3-384-11
		3000	4-384-7
	47	2350	4-384-9.5
		2600	4-384-9.5
	49	1750	2.5-384-13.5
	50	2100	2-384-11
		3000	2.5-384-7
		1750	2.5-384-13.5
		2250	3-384-11
		1750	3-384-11
		1750	3-384-13.5
		2800	4-384-7
		3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		51	2350
	2100		3-384-11
	53	2250	2-384-11
	55	2100	2-384-11
		2250	2-384-11
		3000	2.5-384-7
		1750	2.5-384-13.5
		1750	3-384-13.5
		2250	3-384-11
		2350	3-384-11
		1750	3-384-11
		2100	3-384-11
		2800	4-384-7
		2250	4-384-9.5
2350		4-384-9.5	
56	2600	4-384-9.5	
	3000	4-384-7	
	2800	4-384-9.5	
	2100	2.5-384-13.5	
59	2800	4-384-7	
	2350	2-384-11	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
200 GPM	60	2100	2-384-11
		3000	2.5-384-7
		2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2350	3-384-11
		2100	3-384-11
		2250	3-384-11
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2800	4-384-9.5
		61	2100
	64	2250	4-384-9.5
		3000	4-384-7
	65	2350	2-384-11
		2100	2-384-11
		2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2350	4-384-9.5
		2800	4-384-9.5
	70	2100	2-384-11
		2350	2-384-11
		2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2250	3-384-11
		2350	3-384-11
		2100	3-384-11
		2350	3-384-11
2100		3-384-11	
2350		4-384-9.5	
2600	4-384-9.5		
2800	4-384-9.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
200 GPM	71	2250	3-384-13.5
	72	2600	2-384-11
	75	2100	2-384-11
		2350	2-384-11
		2600	2-384-11
		2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2100	3-384-11
		2350	3-384-11
		2250	3-384-11
		2250	3-384-13.5
	2100	3-384-13.5	
	2600	4-384-9.5	
	2800	4-384-9.5	
	77	2350	3-384-13.5
	78	1750	3-384-13.5
	80	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		2350	3-384-11
		2250	3-384-11
		2250	3-384-13.5
		2350	3-384-13.5
		2100	3-384-13.5
		2600	4-384-9.5
	2800	4-384-9.5	
	81	1750	2.5-384-13.5
	85	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
2800		2-384-11	
2100		2.5-384-13.5	
2250		3-384-11	
2350		3-384-11	
86	2350	3-384-13.5	
	2100	3-384-13.5	
	2250	3-384-13.5	
	2600	4-384-9.5	
	2800	4-384-9.5	
	2250	3-384-11	
	2250	3-384-11	

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
200 GPM	90	2600	2-384-11	
		2350	2-384-11	
		2800	2-384-11	
		2100	2.5-384-13.5	
		2350	3-384-11	
		2250	3-384-13.5	
		2350	3-384-13.5	
		2100	3-384-13.5	
		2800	4-384-9.5	
		93	2600	3-384-13.5
		94	2350	3-384-11
	95	2800	2-384-11	
		2600	2-384-11	
		2100	2.5-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
		2600	3-384-13.5	
		2100	3-384-13.5	
	2800	4-384-9.5		
	98	3000	2-384-11	
	100	2800	2-384-11	
		3000	2-384-11	
		2600	2-384-11	
		2100	2.5-384-13.5	
		2600	3-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
		2100	3-384-13.5	
		2800	4-384-9.5	
		2600	2-384-11	
		2800	2-384-11	
	105	3000	2-384-11	
		2100	2.5-384-13.5	
		2350	3-384-13.5	
		2600	3-384-13.5	
		2100	3-384-13.5	
		2100	3-384-13.5	
		2250	3-384-13.5	
	108	2800	3-384-13.5	
	110	2600	2-384-11	
		2800	2-384-11	
		3000	2-384-11	
		2100	2.5-384-13.5	
		2600	3-384-13.5	
2800		3-384-13.5		
2250		3-384-13.5		
2350		3-384-13.5		
2100		3-384-13.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
200 GPM	113	2100	2.5-384-13.5
	115	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
	120	2800	2-384-11
		3000	2-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2350	3-384-13.5
	124	2250	3-384-13.5
		3000	3-384-13.5
		2800	2-384-11
		3000	2-384-11
		2600	3-384-13.5
	125	2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
		2250	3-384-13.5
		2250	3-384-13.5
	130	2250	3-384-13.5
		3000	2-384-11
		2800	2-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	134	3000	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
		2800	2-384-11
	135	2800	2-384-11
		3000	2-384-11
		2600	3-384-13.5
		3000	3-384-13.5
2350		3-384-13.5	
137	2350	3-384-13.5	
	2350	3-384-13.5	
140	3000	2-384-11	
	2600	3-384-13.5	
	2800	3-384-13.5	
	3000	3-384-13.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
200 GPM	145	3000	2-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		3000	3-384-13.5
	150	3000	2-384-11
		2600	3-384-13.5
		3000	3-384-13.5
	154	2800	3-384-13.5
	155	3000	2-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	160	3000	3-384-13.5
		2600	3-384-13.5
		3000	3-384-13.5
	165	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	170	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	175	3000	3-384-13.5
		2800	3-384-13.5
	180	3000	3-384-13.5
		2800	3-384-13.5
	185	3000	3-384-13.5
		2800	3-384-13.5
	190	3000	3-384-13.5
		2800	3-384-13.5
	195	3000	3-384-13.5
		2800	3-384-13.5
	196	2800	3-384-13.5
	200	3000	3-384-13.5
	205	3000	3-384-13.5
	210	3000	3-384-13.5
	215	3000	3-384-13.5
220	3000	3-384-13.5	
225	3000	3-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
250 GPM	40	2800	4-384-7	
	42	1750	3-384-13.5	
		2250	4-384-9.5	
	45	2250	3-384-11	
		1750	3-384-13.5	
		2800	4-384-7	
		2250	4-384-9.5	
	46	1750	3-384-11	
		3000	4-384-7	
		2350	4-384-9.5	
	47	1750	2.5-384-13.5	
		2600	4-384-9.5	
	50	2250	2-384-11	
		1750	2.5-384-13.5	
		1750	3-384-11	
		1750	3-384-13.5	
		2250	3-384-11	
		2350	3-384-11	
		2800	4-384-7	
		3000	4-384-7	
	51	2250	4-384-9.5	
		2350	4-384-9.5	
		2600	4-384-9.5	
		54	2100	3-384-11
		54	2100	2.5-384-13.5
			1750	3-384-11
	55	2800	4-384-9.5	
		2250	2-384-11	
		2350	2-384-11	
		1750	2.5-384-13.5	
		2100	2.5-384-13.5	
		1750	3-384-13.5	
		2250	3-384-11	
		2350	3-384-11	
		2100	3-384-11	
		2800	4-384-7	
		2250	4-384-9.5	
		2350	4-384-9.5	
		2600	4-384-9.5	
		3000	4-384-7	
	2800	4-384-9.5		
	56	2800	4-384-7	
59	2100	2-384-11		
	2600	3-384-11		

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
250 GPM	60	2100	2-384-11	
		2250	2-384-11	
		2350	2-384-11	
		1750	2.5-384-13.5	
		2100	2.5-384-13.5	
		1750	3-384-13.5	
		2350	3-384-11	
		2100	3-384-11	
		2600	3-384-11	
		2250	3-384-11	
		2100	3-384-13.5	
		2250	4-384-9.5	
		2350	4-384-9.5	
		2600	4-384-9.5	
		3000	4-384-7	
		2800	4-384-9.5	
		62	3000	4-384-9.5
		64	3000	4-384-7
	65	2100	2-384-11	
		2250	2-384-11	
		2350	2-384-11	
		1750	2.5-384-13.5	
		2100	2.5-384-13.5	
		1750	3-384-13.5	
		2350	3-384-11	
		2600	3-384-11	
		2100	3-384-11	
		2250	3-384-11	
		2100	3-384-13.5	
		2350	4-384-9.5	
		2600	4-384-9.5	
		2800	4-384-9.5	
	3000	4-384-9.5		
	69	2800	3-384-11	
		2350	4-384-9.5	
	70	2100	2-384-11	
		2350	2-384-11	
		2600	2-384-11	
		2250	2-384-11	
		1750	2.5-384-13.5	
		2100	2.5-384-13.5	
		1750	3-384-13.5	
2600		3-384-11		
2350		3-384-11		
2800		3-384-11		
2100		3-384-11		
2250		3-384-11		
2250		3-384-13.5		
2100		3-384-13.5		
2600		4-384-9.5		
2800		4-384-9.5		
3000		4-384-9.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
250 GPM	72	2100	2-384-11
	74	2100	3-384-11
	75	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2600	3-384-11
		2800	3-384-11
		2250	3-384-11
		2350	3-384-11
		2250	3-384-13.5
		2100	3-384-13.5
	2600	4-384-9.5	
	2800	4-384-9.5	
	3000	4-384-9.5	
	77	2350	3-384-13.5
	78	1750	3-384-13.5
	79	1750	2.5-384-13.5
		3000	3-384-11
	80	2600	2-384-11
		2250	2-384-11
		2350	2-384-11
		2100	2.5-384-13.5
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2250	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
2350		3-384-13.5	
2600	4-384-9.5		
2800	4-384-9.5		
3000	4-384-9.5		
81	2800	2-384-11	
83	2250	2-384-11	

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
250 GPM	85	2600	2-384-11	
		2350	2-384-11	
		2800	2-384-11	
		2100	2.5-384-13.5	
		2600	3-384-11	
		2800	3-384-11	
		3000	3-384-11	
		2250	3-384-11	
		2350	3-384-11	
		2100	3-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
		2600	4-384-9.5	
		2800	4-384-9.5	
		3000	4-384-9.5	
		86	2250	3-384-11
		90	2600	2-384-11
			2350	2-384-11
	2800		2-384-11	
	2100		2.5-384-13.5	
	2600		3-384-11	
	2800		3-384-11	
	3000		3-384-11	
	2350		3-384-11	
	2250		3-384-13.5	
	2350		3-384-13.5	
	2100		3-384-13.5	
	2800		4-384-9.5	
	3000	4-384-9.5		
	93	2350	3-384-11	
	95	2600	3-384-13.5	
		2600	2-384-11	
		2800	2-384-11	
		3000	2-384-11	
		2100	2.5-384-13.5	
		2600	3-384-11	
		2800	3-384-11	
		3000	3-384-11	
		2600	3-384-13.5	
		2100	3-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
	3000	4-384-9.5		
	2800	4-384-9.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
250 GPM	100	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2250	3-384-13.5
		2350	3-384-13.5
		2600	3-384-13.5
		2100	3-384-13.5
		2800	4-384-9.5
		3000	4-384-9.5
		2600	2-384-11
	2800	2-384-11	
	3000	2-384-11	
	2100	2.5-384-13.5	
	2600	3-384-11	
	3000	3-384-11	
	2800	3-384-11	
	2600	3-384-13.5	
	2250	3-384-13.5	
	2350	3-384-13.5	
	2100	3-384-13.5	
	3000	4-384-9.5	
	107	2800	3-384-13.5
	110	2600	2-384-11
		2800	2-384-11
		3000	2-384-11
		2100	2.5-384-13.5
		2600	3-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2350	3-384-13.5
		2800	3-384-13.5
		2100	3-384-13.5
		2250	3-384-13.5
		3000	4-384-9.5
		112	2100
	113	2600	2-384-11
	115	2800	2-384-11
		3000	2-384-11
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2350	3-384-13.5
		2250	3-384-13.5
3000		4-384-9.5	

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
250 GPM	120	2800	2-384-11	
		3000	2-384-11	
		3000	3-384-11	
		2800	3-384-11	
		2600	3-384-13.5	
		2800	3-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
		123	3000	3-384-13.5
		125	2800	2-384-11
	3000		2-384-11	
	3000		3-384-11	
	2800		3-384-11	
	2600		3-384-13.5	
	2800		3-384-13.5	
	3000		3-384-13.5	
	2250		3-384-13.5	
	2350		3-384-13.5	
	130		2800	2-384-11
		3000	2-384-11	
		3000	3-384-11	
		2800	3-384-11	
		2600	3-384-13.5	
		2800	3-384-13.5	
		3000	3-384-13.5	
		2350	3-384-13.5	
		132	2800	2-384-11
		133	2800	3-384-11
	135	3000	2-384-11	
		3000	3-384-11	
		2600	3-384-13.5	
		2800	3-384-13.5	
		3000	3-384-13.5	
		2350	3-384-13.5	
	137	2350	3-384-13.5	
	140	3000	2-384-11	
		3000	3-384-11	
		2600	3-384-13.5	
		2800	3-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
250 GPM	140	3000	3-384-13.5
	145	3000	2-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	150	3000	2-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	152	3000	3-384-13.5
	153	3000	2-384-11
	155	2600	3-384-11
		2800	3-384-13.5
		3000	3-384-13.5
	160	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	165	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	170	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	175	3000	3-384-13.5
		2800	3-384-13.5
	180	3000	3-384-13.5
		2800	3-384-13.5
	185	3000	3-384-13.5
		2800	3-384-13.5
190	3000	3-384-13.5	
	2800	3-384-13.5	
195	3000	3-384-13.5	
	2800	3-384-13.5	
196	2800	3-384-13.5	
200	3000	3-384-13.5	
205	3000	3-384-13.5	
210	3000	3-384-13.5	
215	3000	3-384-13.5	
220	3000	3-384-13.5	
225	3000	3-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
300 GPM	41	1750	3-384-13.5
	42	2250	4-384-9.5
	44	1750	2.5-384-13.5
		2250	3-384-11
	45	1750	2.5-384-13.5
		1750	3-384-11
		2250	3-384-11
		1750	3-384-13.5
		3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
	46	2600	4-384-9.5
		2350	3-384-11
	49	1750	2.5-384-13.5
		2250	3-384-11
		2350	3-384-11
		1750	3-384-11
	50	1750	3-384-13.5
		2100	3-384-11
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2100	2.5-384-13.5
	54	1750	3-384-11
		2800	4-384-9.5
	55	1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2250	3-384-11
		2350	3-384-11
		2100	3-384-11
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
	2800	4-384-9.5	
	58	2600	3-384-11
	59	2100	3-384-13.5
		1750	2.5-384-13.5
	60	2100	2.5-384-13.5
		1750	3-384-13.5
2350		3-384-11	
2100		3-384-11	
2250		3-384-11	
2600		3-384-11	
2100		3-384-13.5	
2250		4-384-9.5	
2350		4-384-9.5	
2600		4-384-9.5	
3000		4-384-7	
2800		4-384-9.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
300 GPM	62	3000	4-384-9.5
	64	2250	2-384-11
		3000	4-384-7
	65	2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2600	3-384-11
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2350	4-384-9.5
	68	2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		2800	3-384-11
	69	2250	3-384-13.5
		2350	4-384-9.5
	70	2250	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2600	3-384-11
		2250	3-384-11
		2350	3-384-11
		2800	3-384-11
		2100	3-384-11
		2100	3-384-13.5
	2250	3-384-13.5	
	2600	4-384-9.5	
	2800	4-384-9.5	
	3000	4-384-9.5	
	72	2350	2-384-11
	74	2100	3-384-11
	75	2250	2-384-11
		2350	2-384-11
		1750	2.5-384-13.5
		2100	2.5-384-13.5
		1750	3-384-13.5
		2600	3-384-11
		2350	3-384-11
2800		3-384-11	
2250		3-384-11	
2100		3-384-13.5	
2250	3-384-13.5		
2600	4-384-9.5		
2800	4-384-9.5		
3000	4-384-9.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump Diesel Engine Driven

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
300 GPM	76	2800	2-384-11	
		2350	3-384-13.5	
	77	1750	2.5-384-13.5	
		1750	3-384-13.5	
	78	3000	3-384-11	
	80		2250	2-384-11
			2350	2-384-11
			2100	2.5-384-13.5
			2800	2-384-11
			2600	3-384-11
			2800	3-384-11
			3000	3-384-11
			2350	3-384-11
			2250	3-384-11
			2250	3-384-13.5
			2350	3-384-13.5
			2100	3-384-13.5
			2600	4-384-9.5
			2800	4-384-9.5
			3000	4-384-9.5
			85	
	2100	2.5-384-13.5		
	2800	2-384-11		
	2600	3-384-11		
	2800	3-384-11		
	3000	3-384-11		
	2250	3-384-11		
	2350	3-384-11		
	2250	3-384-13.5		
	2350	3-384-13.5		
	2100	3-384-13.5		
	2600	4-384-9.5		
	2800	4-384-9.5		
	3000	4-384-9.5		
	90		2600	2-384-11
			2800	2-384-11
			2100	2.5-384-13.5
			3000	2-384-11
			2600	3-384-11
			3000	3-384-11
2800			3-384-11	
2350			3-384-11	
2100			3-384-13.5	
2250			3-384-13.5	
2350			3-384-13.5	
3000			4-384-9.5	
2800	4-384-9.5			

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
300 GPM	92	2350	3-384-11	
	93	2600	3-384-13.5	
		2600	2-384-11	
	95		2800	2-384-11
			3000	2-384-11
			2100	2.5-384-13.5
			2600	3-384-11
			3000	3-384-11
			2800	3-384-11
			2250	3-384-13.5
			2350	3-384-13.5
			2600	3-384-13.5
			2100	3-384-13.5
			2800	4-384-9.5
			3000	4-384-9.5
	99	2800	4-384-9.5	
	100		2600	2-384-11
			2800	2-384-11
			3000	2-384-11
			2100	2.5-384-13.5
			2600	3-384-11
			3000	3-384-11
			2800	3-384-11
			2600	3-384-13.5
			2100	3-384-13.5
			2250	3-384-13.5
			2350	3-384-13.5
			3000	4-384-9.5
	105		2600	2-384-11
			2800	2-384-11
			3000	2-384-11
			2100	2.5-384-13.5
			2600	3-384-11
			2800	3-384-11
			3000	3-384-11
			2600	3-384-13.5
			2350	3-384-13.5
			2100	3-384-13.5
			2250	3-384-13.5
			3000	4-384-9.5
107	2800	3-384-13.5		

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
300 GPM	109	2100	3-384-13.5
	110	2600	2-384-11
		2100	2.5-384-13.5
		2800	2-384-11
		3000	2-384-11
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		114	2600
	3000	4-384-9.5	
	115	2800	2-384-11
		3000	2-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	120	2350	3-384-13.5
		2250	3-384-13.5
		2800	2-384-11
		3000	2-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
	2800	3-384-13.5	
	2350	3-384-13.5	
	2250	3-384-13.5	
	123	3000	3-384-13.5
	125	2800	2-384-11
		3000	2-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
		2250	3-384-13.5
	130	2800	2-384-11
		3000	2-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	133	2800	3-384-11

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
300 GPM	135	3000	2-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
		2350	3-384-13.5
	136	2350	3-384-13.5
	140	3000	2-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	145	3000	2-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	150	3000	3-384-13.5
		3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	152	3000	3-384-11
	155	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	160	2600	3-384-13.5
		3000	3-384-13.5
		2800	3-384-13.5
	165	2600	3-384-13.5
		2800	3-384-13.5
	170	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	175	3000	3-384-13.5
		2800	3-384-13.5
	180	3000	3-384-13.5
		2800	3-384-13.5
	185	3000	3-384-13.5
		2800	3-384-13.5
	190	3000	3-384-13.5
		2800	3-384-13.5
	195	3000	3-384-13.5
		2800	3-384-13.5
	196	2800	3-384-13.5
	200	3000	3-384-13.5
	205	3000	3-384-13.5
	210	3000	3-384-13.5
	215	3000	3-384-13.5
	220	3000	3-384-13.5
225	3000	3-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
400 GPM	40	2250	4-384-9.5
	41	2250	3-384-11
	42	1750	3-384-11
	44	3000	4-384-7
		2350	4-384-9.5
	45	1750	3-384-11
		2250	3-384-11
		2350	3-384-11
		3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
	46	2100	3-384-11
		2800	5-384-9.5
	50	1750	3-384-11
		2250	3-384-11
		2350	3-384-11
		2100	3-384-11
		3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
	52	2600	4-384-9.5
		2800	5-384-9.5
		1750	3-384-11
		2600	6-384-9.5
	53	2800	4-384-9.5
	54	2600	3-384-11
		1750	6-384-13.5
	55	2100	3-384-11
		2350	3-384-11
		2250	3-384-11
		2600	3-384-11
		2250	4-384-9.5
2350		4-384-9.5	
2600		4-384-9.5	
3000		4-384-7	
2800		4-384-9.5	
2800		5-384-9.5	
57	1750	6-384-13.5	
	2600	6-384-9.5	
	2100	3-384-13.5	
59	3000	5-384-9.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
400 GPM	60	2600	3-384-11
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2800	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		1750	6-384-13.5
		61	3000
	62	2800	6-384-9.5
	63	3000	4-384-7
	65	2600	3-384-11
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2800	3-384-11
		2100	3-384-13.5
		2350	4-384-9.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		2600	6-384-9.5
		1750	6-384-13.5
	67	2250	3-384-13.5
	68	2350	4-384-9.5
	70	2600	3-384-11
		2800	3-384-11
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2250	3-384-13.5
		2100	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		2600	6-384-9.5
		1750	6-384-13.5
	71	3000	6-384-9.5
	72	2100	3-384-11
	73	2350	3-384-13.5

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
400 GPM	75	2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2250	3-384-11
		2350	3-384-11
		2250	3-384-13.5
		2350	3-384-13.5
		2100	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		2600	6-384-9.5
		3000	6-384-9.5
		1750	6-384-13.5
		2600	3-384-11
	2800	3-384-11	
	3000	3-384-11	
	2250	3-384-11	
	2350	3-384-11	
	2100	3-384-13.5	
	2250	3-384-13.5	
	2350	3-384-13.5	
	2600	4-384-9.5	
	2800	4-384-9.5	
	3000	4-384-9.5	
	3000	5-384-9.5	
	2800	5-384-9.5	
	2800	6-384-9.5	
	2600	6-384-9.5	
	3000	6-384-9.5	
	1750	6-384-13.5	
	81	1750	6-384-13.5
	83	2250	3-384-11
	85	2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
3000		4-384-9.5	
3000		5-384-9.5	
2800		5-384-9.5	
2800		6-384-9.5	
2600		6-384-9.5	
3000		6-384-9.5	
3000		6-384-9.5	
2800		6-384-9.5	
2600		6-384-9.5	
3000	6-384-9.5		

Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
400 GPM	90	2600	3-384-11	
		2350	3-384-11	
		2800	3-384-11	
		3000	3-384-11	
		2100	3-384-13.5	
		2250	3-384-13.5	
		2350	3-384-13.5	
		3000	4-384-9.5	
		2800	4-384-9.5	
		3000	5-384-9.5	
		2800	5-384-9.5	
		2800	6-384-9.5	
		3000	6-384-9.5	
		91	2600	3-384-13.5
		92	2350	3-384-11
		95	2600	3-384-11
			2800	3-384-11
			3000	3-384-11
	2600		3-384-13.5	
	2100		3-384-13.5	
	2250		3-384-13.5	
	2350		3-384-13.5	
	2800		4-384-9.5	
	3000		4-384-9.5	
	2800		5-384-9.5	
	3000		5-384-9.5	
	2800		6-384-9.5	
	3000		6-384-9.5	
	100		2600	3-384-11
			2800	3-384-11
			3000	3-384-11
			2600	3-384-13.5
			2100	3-384-13.5
		2250	3-384-13.5	
		2350	3-384-13.5	
		3000	4-384-9.5	
		3000	5-384-9.5	
		3000	6-384-9.5	
		105	2600	3-384-11
			3000	3-384-11
			2800	3-384-11
			2600	3-384-13.5
			2800	3-384-13.5
			2350	3-384-13.5
			2100	3-384-13.5
			2250	3-384-13.5
	3000		4-384-9.5	
	3000		5-384-9.5	
	105		3000	6-384-9.5
	108		2100	3-384-13.5

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
400 GPM	110	2600	3-384-11
		3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		3000	5-384-9.5
	3000	6-384-9.5	
	113	2600	3-384-11
	115	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
	120	2350	3-384-13.5
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	122	2350	3-384-13.5
		2250	3-384-13.5
		3000	3-384-13.5
	124	2250	3-384-13.5
	125	3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	130	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	132	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
135	2350	3-384-13.5	
	2800	3-384-11	
	3000	3-384-11	
	2600	3-384-13.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
400 GPM	140	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	145	3000	3-384-13.5
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	150	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	151	3000	3-384-11
		2600	3-384-13.5
		3000	3-384-13.5
	155	2800	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	160	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	165	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	169	2600	3-384-13.5
	170	2800	3-384-13.5
		3000	3-384-13.5
	175	3000	3-384-13.5
		2800	3-384-13.5
	180	3000	3-384-13.5
		2800	3-384-13.5
	185	3000	3-384-13.5
		2800	3-384-13.5
	190	3000	3-384-13.5
2800		3-384-13.5	
195	3000	3-384-13.5	
	2800	3-384-13.5	
200	3000	3-384-13.5	
205	3000	3-384-13.5	
210	3000	3-384-13.5	
215	3000	3-384-13.5	
220	3000	3-384-13.5	
224	3000	3-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	40	1750	3-384-11
		2250	4-384-9.5
	43	2350	3-384-11
		3000	4-384-7
	44	2100	3-384-11
		2350	4-384-9.5
	45	1750	3-384-11
		2100	3-384-11
		2350	4-384-11
		2250	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
	47	2350	4-384-9.5
		2800	5-384-9.5
		1750	3-384-11
	50	2100	3-384-11
		2350	3-384-11
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
	52	2800	5-384-9.5
		2600	3-384-11
		2600	6-384-9.5
	53	2250	3-384-11
	54	1750	6-384-13.5
	55	2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2600	3-384-11
		2100	3-384-13.5
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2800	4-384-9.5
2800	5-384-9.5		
58	1750	6-384-13.5	
	2600	6-384-9.5	
	3000	5-384-9.5	
	3000	5-384-9.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	60	2250	3-384-11
		2600	3-384-11
		2100	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
	1750	6-384-13.5	
	61	2800	6-384-9.5
	62	3000	4-384-7
	63	2800	3-384-11
	65	2250	3-384-11
		2600	3-384-11
		2100	3-384-11
		2350	3-384-11
		2800	3-384-11
		2250	3-384-13.5
		2100	3-384-13.5
		2350	4-384-9.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
	2800	6-384-9.5	
	1750	6-384-13.5	
	70	2600	3-384-11
		2100	3-384-11
		2250	3-384-11
		2800	3-384-11
		2350	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
	1750	6-384-13.5	
	2100	3-384-11	
	3000	6-384-9.5	
	72	2350	3-384-13.5
	73	3000	3-384-11

AURORA® SELECTION TABLES

End Suction Fire Pump
 Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	75	2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2250	3-384-11
		2350	3-384-11
		2250	3-384-13.5
		2350	3-384-13.5
		2100	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
		1750	6-384-13.5
		2600	3-384-11
	2800	3-384-11	
	3000	3-384-11	
	2250	3-384-11	
	2350	3-384-11	
	2100	3-384-13.5	
	2250	3-384-13.5	
	2350	3-384-13.5	
	2600	4-384-9.5	
	2800	4-384-9.5	
	3000	4-384-9.5	
	3000	5-384-9.5	
	2800	5-384-9.5	
	2600	6-384-9.5	
	2800	6-384-9.5	
	3000	6-384-9.5	
	1750	6-384-13.5	
	81	1750	6-384-13.5
	82	2250	3-384-11
	84	2600	4-384-9.5
	85	2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2350	3-384-11
		2100	3-384-13.5
2250		3-384-13.5	
2350		3-384-13.5	
2800		4-384-9.5	
3000		4-384-9.5	
3000		5-384-9.5	
2800		5-384-9.5	
2600		6-384-9.5	
2800		6-384-9.5	
3000		6-384-9.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	89	2600	3-384-13.5
		2600	3-384-11
		2350	3-384-11
		2800	3-384-11
		3000	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		2600	3-384-13.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
	90	2800	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2100	3-384-13.5
		2350	3-384-13.5
		2600	3-384-13.5
		2250	3-384-13.5
	95	3000	4-384-9.5
		2800	4-384-9.5
		2800	4-384-9.5
		2800	5-384-9.5
		3000	5-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
		3000	6-384-9.5
		2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
	100	2100	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		3000	5-384-9.5
		3000	5-384-9.5
2600		3-384-13.5	
2100		3-384-13.5	
2250		3-384-13.5	
2350		3-384-13.5	
3000		4-384-9.5	
3000		5-384-9.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	105	2600	3-384-11
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2100	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		3000	5-384-9.5
	3000	6-384-9.5	
	108	2100	3-384-13.5
	110	2600	3-384-11
		3000	3-384-11
		2800	3-384-11
		2800	3-384-13.5
		2600	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		3000	5-384-9.5
		3000	6-384-9.5
	112	2600	3-384-11
	115	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2350	3-384-13.5
		2250	3-384-13.5
	120	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
	2350	3-384-13.5	
	121	3000	3-384-13.5
	123	2250	3-384-13.5
	125	3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	130	2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
2350	3-384-13.5		

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
450 GPM	135	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
		3000	3-384-11
	140	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		3000	3-384-11
	145	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	150	3000	3-384-11
		3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	155	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	160	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
	165	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	169	2600	3-384-13.5
	170	3000	3-384-13.5
		2800	3-384-13.5
	175	2800	3-384-13.5
		3000	3-384-13.5
	180	2800	3-384-13.5
		3000	3-384-13.5
	185	2800	3-384-13.5
		3000	3-384-13.5
	190	2800	3-384-13.5
		3000	3-384-13.5
	194	2800	3-384-13.5
	195	3000	3-384-13.5
	200	3000	3-384-13.5
	205	3000	3-384-13.5
	210	3000	3-384-13.5
	215	3000	3-384-13.5
	220	3000	3-384-13.5
	223	3000	3-384-13.5

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
500 GPM	40	2250	4-384-9.5
	42	3000	4-384-7
	43	2350	4-384-9.5
	44	2600	4-384-9.5
	45	3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
	46	1750	8-384-13.5
	47	2800	5-384-9.5
	50	3000	4-384-7
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		2800	5-384-9.5
	51	1750	8-384-13.5
		2250	3-384-11
		2800	4-384-9.5
	53	2600	6-384-9.5
		2100	3-384-13.5
	54	1750	6-384-13.5
	55	2250	3-384-11
		2100	3-384-13.5
		2250	4-384-9.5
		2350	4-384-9.5
		2600	4-384-9.5
		3000	4-384-7
		2800	4-384-9.5
		2800	5-384-9.5
		1750	6-384-13.5
		2600	6-384-9.5
	56	1750	8-384-13.5
		2350	3-384-11
	57	2100	3-384-11
58	3000	5-384-9.5	
59	3000	4-384-9.5	
60	2100	3-384-11	
	2250	3-384-11	
	2350	3-384-11	
	2800	3-384-11	
	2100	3-384-13.5	
	2250	4-384-9.5	
	2350	4-384-9.5	
	2600	4-384-9.5	
	3000	4-384-7	
	2800	4-384-9.5	
	3000	4-384-9.5	
	3000	5-384-9.5	
	2800	5-384-9.5	
	2600	6-384-9.5	
1750	6-384-13.5		
1750	8-384-13.5		

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
500 GPM	61	2800	6-384-9.5
	62	3000	4-384-7
	63	2250	3-384-13.5
		2100	3-384-11
		2250	3-384-11
		2350	3-384-11
		2800	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
		2350	4-384-9.5
		2600	4-384-9.5
		2800	4-384-9.5
	65	3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
		1750	6-384-13.5
		1750	8-384-13.5
		2100	3-384-11
	69	2350	3-384-13.5
		2250	3-384-11
	70	2350	3-384-11
		2800	3-384-11
		2100	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		2600	4-384-9.5
		2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
71	1750	6-384-13.5	
	1750	8-384-13.5	
	3000	3-384-11	
	1750	8-384-13.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven				Diesel Driven				
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model	
500 GPM	75	2350	3-384-11	500 GPM	88	2600	3-384-13.5	
		2250	3-384-11		89	2350	3-384-11	
		2800	3-384-11		90	2800	3-384-11	
		3000	3-384-11			3000	3-384-11	
		2100	3-384-13.5			2100	3-384-13.5	
		2250	3-384-13.5			2250	3-384-13.5	
		2350	3-384-13.5			2350	3-384-13.5	
		2600	4-384-9.5			2600	3-384-13.5	
		2800	4-384-9.5			2800	4-384-9.5	
		3000	4-384-9.5			3000	4-384-9.5	
		3000	5-384-9.5			3000	5-384-9.5	
		2800	5-384-9.5			2800	5-384-9.5	
		2600	6-384-9.5			2800	6-384-9.5	
		2800	6-384-9.5			3000	6-384-9.5	
		3000	6-384-9.5		94	2800	5-384-9.5	
		1750	6-384-13.5			2800	3-384-11	
		80	2250		3-384-11	95	3000	3-384-11
	2350		3-384-11		2100		3-384-13.5	
	2800		3-384-11		2600		3-384-13.5	
	3000		3-384-11		2250		3-384-13.5	
	2100		3-384-13.5		2350		3-384-13.5	
	2250		3-384-13.5		2800		4-384-9.5	
	2350		3-384-13.5		3000		4-384-9.5	
	2600		4-384-9.5		3000		5-384-9.5	
	2800		4-384-9.5		2800		6-384-9.5	
	3000		4-384-9.5		3000		6-384-9.5	
	3000		5-384-9.5		100		2800	3-384-11
	2800		5-384-9.5				3000	3-384-11
	2600		6-384-9.5				2100	3-384-13.5
	2800		6-384-9.5				2600	3-384-13.5
	3000		6-384-9.5				2250	3-384-13.5
	1750		6-384-13.5				2350	3-384-13.5
	81		2250				3-384-11	3000
		1750	6-384-13.5			3000	5-384-9.5	
		84	2600			4-384-9.5	3000	6-384-9.5
	2600		6-384-9.5			103	2800	3-384-13.5
	85	2800	3-384-11		105		3000	3-384-11
		3000	3-384-11				2800	3-384-11
		2350	3-384-11				2600	3-384-13.5
		2100	3-384-13.5				2800	3-384-13.5
		2250	3-384-13.5				2100	3-384-13.5
		2350	3-384-13.5				2250	3-384-13.5
		2800	4-384-9.5				2350	3-384-13.5
		3000	4-384-9.5				3000	4-384-9.5
		3000	5-384-9.5				3000	5-384-9.5
		2800	5-384-9.5			3000	6-384-9.5	
		2800	6-384-9.5			107	2100	3-384-13.5
		3000	6-384-9.5					

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
500 GPM	110	2800	3-384-11
		3000	3-384-11
		2800	3-384-13.5
		2600	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
		3000	4-384-9.5
		3000	5-384-9.5
	115	3000	6-384-9.5
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		2250	3-384-13.5
	120	2350	3-384-13.5
		2800	3-384-11
		3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2250	3-384-13.5
		2350	3-384-13.5
	122	2250	3-384-13.5
	125	3000	3-384-11
		2800	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	129	2800	3-384-11
	130	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		2350	3-384-13.5
	134	2350	3-384-13.5
	135	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
500 GPM	140	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		3000	3-384-11
	145	2600	3-384-13.5
		2800	3-384-13.5
		3000	3-384-13.5
		3000	3-384-11
	150	3000	3-384-11
		2600	3-384-13.5
		2800	3-384-13.5
	155	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	160	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	165	3000	3-384-13.5
		2600	3-384-13.5
		2800	3-384-13.5
	167	2600	3-384-13.5
	170	2800	3-384-13.5
		3000	3-384-13.5
	175	2800	3-384-13.5
		3000	3-384-13.5
	180	2800	3-384-13.5
		3000	3-384-13.5
	185	3000	3-384-13.5
		2800	3-384-13.5
	190	3000	3-384-13.5
		2800	3-384-13.5
	193	2800	3-384-13.5
	195	3000	3-384-13.5
	200	3000	3-384-13.5
	205	3000	3-384-13.5
	210	3000	3-384-13.5
	215	3000	3-384-13.5
	220	3000	3-384-13.5
	222	3000	3-384-13.5

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
750 GPM	46	2800	4-384-9.5
		2800	5-384-9.5
		1750	8-384-13.5
	50	2800	4-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		1750	8-384-13.5
	54	3000	4-384-9.5
		1750	6-384-13.5
	55	2800	4-384-9.5
		3000	4-384-9.5
		2800	5-384-9.5
		1750	6-384-13.5
		2600	6-384-9.5
	56	1750	8-384-13.5
		3000	5-384-9.5
	59	2800	6-384-9.5
	60	2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		1750	6-384-13.5
		2800	6-384-9.5
		1750	8-384-13.5
		2800	4-384-9.5
	65	3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		1750	6-384-13.5
		2800	6-384-9.5
		1750	8-384-13.5
	68	3000	6-384-9.5
	70	2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
		1750	6-384-13.5
		3000	6-384-9.5
75	1750	8-384-13.5	
	2800	4-384-9.5	
	3000	4-384-9.5	
	3000	5-384-9.5	
	2800	5-384-9.5	
	2600	6-384-9.5	
	2800	6-384-9.5	
	3000	6-384-9.5	
1750	6-384-13.5		

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
750 GPM	80	2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2600	6-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
		1750	6-384-13.5
	81	1750	6-384-13.5
	82	2600	6-384-9.5
	85	2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
	90	2800	4-384-9.5
		3000	4-384-9.5
		3000	5-384-9.5
		2800	5-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
	93	2800	4-384-9.5
	94	2800	5-384-9.5
	95	3000	4-384-9.5
		3000	5-384-9.5
		2800	6-384-9.5
		3000	6-384-9.5
	96	2800	6-384-9.5
		3000	4-384-9.5
	100	3000	5-384-9.5
		3000	6-384-9.5
105	3000	4-384-9.5	
	3000	5-384-9.5	
	3000	6-384-9.5	
108	3000	4-384-9.5	
110	3000	5-384-9.5	
	3000	6-384-9.5	
113	3000	5-384-9.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
1000 GPM	46	1750	8-384-13.5
	48	2600	6-384-9.5
	50	2600	6-384-9.5
		1750	8-384-13.5
	53	1750	6-384-13.5
		1750	6-384-13.5
	55	1750	6-384-9.5
		2600	6-384-9.5
		1750	8-384-13.5
	57	2800	6-384-9.5
		1750	6-384-13.5
	60	2600	6-384-9.5
		2800	6-384-9.5
		1750	8-384-13.5
		2600	6-384-9.5
	65	1750	6-384-13.5
		2800	6-384-9.5
		1750	8-384-13.5
	66	3000	6-384-9.5
	69	1750	8-384-13.5
	70	2600	6-384-9.5
		1750	6-384-13.5
		2800	6-384-9.5
		3000	6-384-9.5
	75	2600	6-384-9.5
		2800	6-384-9.5
		1750	6-384-13.5
		3000	6-384-9.5
	80	2600	6-384-9.5
		2800	6-384-9.5
3000		6-384-9.5	
1750		6-384-13.5	
81	2600	6-384-9.5	
85	2800	6-384-9.5	
	3000	6-384-9.5	
90	2800	6-384-9.5	
	3000	6-384-9.5	
95	2800	6-384-9.5	
	3000	6-384-9.5	
100	3000	6-384-9.5	
105	3000	6-384-9.5	
109	3000	6-384-9.5	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

End Suction Fire Pump

Diesel Engine Driven

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
1250 GPM	45	1750	8-384-13.5
	50	1750	8-384-13.5
	51	1750	6-384-13.5
	54	2800	6-384-9.5
	55	1750	6-384-13.5
		2800	6-384-9.5
		1750	8-384-13.5
	60	1750	6-384-13.5
		2800	6-384-9.5
		1750	8-384-13.5
	64	3000	6-384-9.5
	65	1750	6-384-13.5
		2800	6-384-9.5
		3000	6-384-9.5
		1750	8-384-13.5
	69	1750	8-384-13.5
	70	1750	6-384-13.5
		2800	6-384-9.5
		3000	6-384-9.5
	75	2800	6-384-9.5
		1750	6-384-13.5
		3000	6-384-9.5
	80	2800	6-384-9.5
		1750	6-384-13.5
		3000	6-384-9.5
	85	2800	6-384-9.5
		3000	6-384-9.5
	90	2800	6-384-9.5
3000		6-384-9.5	
93	2800	6-384-9.5	
95	3000	6-384-9.5	
100	3000	6-384-9.5	
105	3000	6-384-9.5	
107	3000	6-384-9.5	

Diesel Driven			
Flow	Pressure (psi)	Speed (rpm)	Pump Size and Model
1500 GPM	44	1750	8-384-13.5
	45	1750	8-384-13.5
	49	1750	6-384-13.5
	50	1750	6-384-13.5
		1750	8-384-13.5
	55	1750	6-384-13.5
		1750	8-384-13.5
	60	1750	6-384-13.5
		1750	8-384-13.5
	65	1750	6-384-13.5
		1750	8-384-13.5
	69	1750	8-384-13.5
	70	1750	6-384-13.5
	75	1750	6-384-13.5
	79	1750	6-384-13.5

For further details on pump performance, please contact your local Aurora fire pump distributor.

THIS PAGE LEFT INTENTIONALLY BLANK