

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
250 GPM	40	92	3560	3-481-10
	45	104	3560	3-481-10
	50	116	3560	3-481-10
	52	120	3560	2.5-481-10B
	55	127	3560	2.5-481-10B
			3560	3-481-10
	60	139	3560	2.5-481-10B
			3560	3-481-10
	65	150	3560	2.5-481-10B
			3560	3-481-10
	70	162	3560	2.5-481-10B
			3560	3-481-10
	75	173	3560	2.5-481-10B
			3560	3-481-10
	80	185	3560	2.5-481-10B
			3560	3-481-10
	85	196	3560	2.5-481-10B
			3560	3-481-10
	90	208	3560	2.5-481-10B
			3560	3-481-10
	95	219	3560	2.5-481-10B
			3560	3-481-10
	100	231	3560	2.5-481-10B
			3560	3-481-10
	105	243	3560	2.5-481-10B
	110	254	3560	2.5-481-10B
115	266	3560	2.5-481-10B	
120	277	3560	2.5-481-10B	
125	289	3560	2.5-481-10B	
130	300	3560	2.5-481-10B	
135	312	3560	2.5-481-10B	
140	323	3560	2.5-481-10B	
145	335	3560	2.5-481-10B	
150	347	3560	2.5-481-10B	
155	358	3560	2.5-481-10B	
160	370	3560	2.5-481-10B	
165	381	3560	2.5-481-10B	
167	386	3560	2.5-481-10B	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
500 GPM	40	92	1770	4-481-11A
	45	104	1770	4-481-11A
	50	116	1770	4-481-11A
			3560	3-481-10
	55	127	1770	4-481-11A
			3560	3-481-10
	60	139	1770	4-492-14
			1770	4-481-15
			3560	3-481-10
	65	150	1770	4-481-15
			3560	3-481-10
	70	162	1770	4-481-15
			3560	3-481-10
	75	173	1770	4-481-15
			3560	3-481-10
	80	185	1770	4-481-15
			3560	3-481-10
	85	196	1770	4-492-18
			3560	3-481-10
	90	208	1770	4-492-18
			3560	3-481-10
	95	219	1770	4-492-18
			3560	3-491-9C
			3560	3-481-10
	100	231	1770	4-492-18
			3560	3-481-10
	105	243	1770	4-492-18
			3560	3-481-10
	110	254	1770	4-492-18
			3560	3-481-10
115	266	1770	4-492-18	
		3560	3-481-10	
120	277	1770	4-492-18	
		3560	3-481-10	
125	289	1770	4-492-18	
		3560	3-481-10	
		3560	3-492-10A	
130	300	3560	3-481-10	
		3560	3-492-10A	
134	310	3560	3-481-10	
135	312	3560	3-481-10	
		3560	3-492-10A	
140	323	3560	3-481-10	
		3560	3-492-10A	
145	335	3560	3-481-10	
		3560	3-492-10A	
147	340	3560	3-481-10	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
500 GPM	150	347	1770	4-485-15
			3560	3-481-10
			3560	3-492-10A
	155	358	1770	4-485-15
			3560	3-492-10A
	160	370	1770	4-485-15
			3560	3-492-10A
	164	379	1770	4-485-15
	165	381	1770	4-485-15
			3560	3-492-10A
	170	393	1770	4-485-15
	175	404	1770	4-485-15
	180	416	1770	4-485-15
	185	427	1770	4-485-15
	190	439	1770	4-485-15
	195	450	1770	4-485-15
			3565	6-491-12A
	200	462	1770	4-485-15
			3565	6-491-12A
	205	474	1770	4-485-15
			3565	6-491-12A
	210	485	1770	4-485-15
			3565	6-491-12A
	215	497	3565	6-491-12A
	220	508	3565	6-491-12A
	225	520	3565	6-491-12A
	228	527	3560	5-485-12
	230	531	3565	6-491-12A
	233	538	3565	6-491-12A
	235	543	3560	5-485-12
3565			6-491-12A	
240	554	3560	5-485-12	
		3565	6-491-12A	
245	566	3560	5-485-12	
		3565	6-491-12A	
250	578	3560	5-485-12	
		3565	6-491-12A	
255	589	3560	5-485-12	
		3565	6-491-12A	
260	601	3560	5-485-12	
		3565	6-491-12A	
265	612	3560	5-485-12	
		3565	6-491-12A	
270	624	3560	5-485-12	
		3565	6-491-12A	
275	635	3560	5-485-12	
		3565	6-491-12A	
277	640	3565	6-491-12A	
278	642	3565	6-491-12AU*	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
500 GPM	280	647	3560	5-485-12
	285	658	3560	5-485-12
	290	670	3560	5-485-12
	295	681	3560	5-485-12
	300	693	3560	5-485-12
	305	705	3560	5-485-12
	310	716	3560	5-485-12
	315	728	3560	5-485-12
	320	739	3560	5-485-12
	325	751	3560	5-485-12
	330	762	3560	5-485-12
	335	774	3560	5-485-12
	340	785	3560	5-485-12
	345	797	3560	5-485-12
	350	809	3560	5-485-12
	355	820	3560	5-485-12
	360	832	3560	5-485-12
	365	843	3560	5-485-12
	370	855	3560	5-485-12
	375	866	3560	5-485-12
	380	878	3560	5-485-12
	385	889	3560	5-485-12
	390	901	3560	5-485-12
	395	912	3560	5-485-12
	400	924	3560	5-485-12
	405	936	3560	5-485-12
	410	947	3560	5-485-12
	415	959	3560	5-485-12
	420	970	3560	5-485-12
	425	982	3560	5-485-12
430	993	3560	5-485-12	
435	1005	3560	5-485-12	
440	1016	3560	5-485-12	
445	1028	3560	5-485-12	
450	1040	3560	5-485-12	
455	1051	3560	5-485-12	
460	1063	3560	5-485-12	
465	1074	3560	5-485-12	
470	1086	3560	5-485-12	
476	1100	3560	5-485-12	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
750 GPM	40	92	1770	4-481-11A
	45	104	1770	4-481-11A
	50	116	1770	4-481-11A
			1770	5-481-15
	55	127	1770	5-481-15
	60	139	1770	5-481-15
	65	150	1770	5-481-15
			3560	4-481-11C
	70	162	1770	5-481-15
			3560	4-481-11C
	75	173	1770	4-481-15
			3560	4-481-11C
	80	185	1770	4-481-15
			3560	4-481-11C
	81	187	3560	4-481-11D
	85	196	1770	4-481-15
			3560	4-481-11D
	90	208	1770	4-491-14C
			1770	4-481-15
			3560	4-481-11D
	95	219	1770	4-481-15
			3560	4-481-11D
	100	231	1770	4-492-18
			1770	5-491-18A
			3550	4-491-11A
			3560	4-481-11D
	105	243	1770	4-492-18
			1770	5-491-18A
			3560	4-481-11D
	110	254	1770	4-492-18
1770			5-491-18A	
3560			4-481-11D	
115	266	1770	4-492-18	
		1770	5-491-18A	
		3560	4-481-11D	
120	277	1770	4-492-18	
		1770	5-491-18A	
		3560	4-481-11D	
125	289	1770	4-492-18	
		1770	5-491-18A	
		3560	4-481-11D	
130	300	1770	5-491-18A	
		3560	4-481-11D	
135	312	1770	5-491-18A	
		3560	4-481-11D	
140	323	1770	5-491-18A	
		3560	4-481-11D	
145	335	1770	6-485-17A	
		3560	4-481-11D	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
750 GPM	148	342	1770	6-485-17A
	150	347	1770	6-485-17A
			3560	4-481-11D
	155	358	1770	6-485-17A
			3550	4-491-11C
	158	365	3560	4-481-11D
			1770	6-485-16B
	160	370	1770	6-485-17A
			1770	6-485-16B
			3550	4-491-11C
			3560	4-481-11D
	165	381	1770	6-485-17A
			1770	6-485-16B
			3550	4-491-11C
			3560	4-481-11D
	170	390	1770	6-485-17A
			1770	6-485-16B
			3550	4-491-11C
			3560	4-481-11D
	175	404	1770	6-485-17A
			1770	6-485-16B
			3550	4-491-11C
			3560	4-481-11D
	180	416	1770	6-485-17A
			1770	6-485-16B
			3565	6-491-12A
			3550	4-491-11C
	185	427	3560	4-481-11D
1770			6-485-17A	
1770			6-485-16B	
3565			6-491-12A	
190	439	3550	4-491-11C	
		3560	4-481-11D	
		1770	6-485-17A	
		1770	6-485-16B	
192	444	3565	6-491-12A	
		3550	4-491-11C	
		3560	4-481-11D	
		1770	6-485-17A	
195	450	1770	6-485-16B	
		3565	6-491-12A	
		3550	4-491-11C	
		1770	6-485-17A	
200	462	1770	6-485-16B	
		3565	6-491-12A	
		3550	4-491-11C	
		1770	6-485-17A	
203	469	1770	6-485-16B	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
750 GPM	205	474	1770	6-485-17A
			3565	6-491-12A
			3550	4-491-11A
	209	483	1770	6-485-17A
			3550	4-491-11A
	210	485	1770	6-485-17A
			3565	6-491-12A
			3550	4-491-11A
	215	497	1770	6-485-17A
			3565	6-491-12A
			3550	4-491-11A
	218	504	3550	4-491-11A
	220	508	1770	6-485-17A
			3565	6-491-12A
			3550	4-491-11A
	225	520	1770	6-485-17A
			3565	6-491-12A
			3550	4-491-11A
	230	531	1770	6-485-17A
			3565	6-491-12A
	235	543	1770	6-485-17A
			3565	6-491-12A
	240	554	1770	6-485-17A
			3565	6-491-12A
	245	566	1770	6-485-17A
			3565	6-491-12A
	250	578	3565	6-491-12A
	255	589	3565	6-491-12A
	260	601	3565	6-491-12A
	265	612	3565	6-491-12A
	266	614	3565	6-491-12AU*
	310	716	3560	6-485-12
	315	728	3560	6-485-12
320	739	3560	6-485-12	
325	751	3560	6-485-12	
330	762	3560	6-485-12	
335	774	3560	6-485-12	
340	785	3560	6-485-12	
345	797	3560	6-485-12	
350	809	3560	6-485-12	
355	820	3560	6-485-12	
360	832	3560	6-485-12	
365	843	3560	6-485-12	
370	855	3560	6-485-12	
375	866	3560	6-485-12	
380	878	3560	6-485-12	
385	889	3560	6-485-12	
390	901	3560	6-485-12	
395	912	3560	6-485-12	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
750 GPM	400	924	3560	6-485-12
	405	936	3560	6-485-12
	410	947	3560	6-485-12
	415	959	3560	6-485-12
	420	970	3560	6-485-12
	425	982	3560	6-485-12
	430	993	3560	6-485-12
	435	1005	3560	6-485-12
	440	1016	3560	6-485-12
	445	1028	3560	6-485-12
	450	1040	3560	6-485-12
	455	1051	3560	6-485-12
	460	1063	3560	6-485-12
	465	1074	3560	6-485-12
	470	1086	3560	6-485-12
	475	1097	3560	6-485-12
	480	1109	3560	6-485-12
	485	1120	3560	6-485-12
490	1132	3560	6-485-12	
495	1143	3560	6-485-12	
506	1169	3560	6-485-12	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1000 GPM	40	92	1770	6-481-11
	45	104	1770	6-481-11
	50	116	1770	5-481-15
			1770	6-481-11
	55	127	1770	5-481-15
	60	139	1770	5-481-15
	65	150	1770	5-481-15
	70	162	1770	5-481-15
	75	173	1770	5-481-15
	80	185	1770	5-481-15
	85	196	1770	5-481-15
	88	203	3560	6-481-11HH
			1770	5-481-17
	90	208	1770	5-481-15
			3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	95	219	3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	100	231	3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	105	243	3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	110	254	3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	115	266	3560	5-481-11C
			3560	6-481-11HH
			1770	5-481-17
	120	277	3560	5-481-11C
3560			6-481-11HH	
1770			5-481-17	
125	289	3560	5-481-11C	
		3560	6-481-11HH	
		1770	5-491-18A	
130	300	1770	6-485-17A	
		3560	5-481-11C	
		3560	6-481-11HH	
		1770	5-491-18A	
135	312	1770	6-485-17A	
		3560	5-481-11C	
		3560	6-481-11HH	
		1770	6-485-17A	
140	323	3560	5-481-11C	
		3560	6-481-11HH	
		1770	6-485-17A	
144	333	1770	6-485-16B	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1000 GPM	145	335	1770	6-485-17A
			1770	6-485-16B
			3560	5-481-11C
			3560	6-481-11HH
	149	344	1780	6-485-16
	150	347	1770	6-485-17A
			1770	6-485-16B
			1780	6-485-16
			3560	5-481-11C
	154	356	3560	6-481-14HH
	155	358	1770	6-485-17A
			1770	6-485-16B
			1780	6-485-16
			3560	5-481-11C
			3560	6-481-11HH
	160	370	3560	6-481-14HH
			1770	6-485-17A
			1770	6-485-16B
			1780	6-485-16
			3560	5-481-11B
	165	381	3560	5-481-11C
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-485-17A
			1770	6-485-16B
	170	393	1780	6-485-16
			3560	5-481-11B
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-485-17A
	175	404	1770	6-485-16B
			1780	6-485-16
3560			5-481-11B	
3560			6-481-11HH	
3560			6-481-14HH	
180	416	1770	6-485-17A	
		1770	6-485-16B	
		1780	6-485-16	
		3560	5-481-11B	
		3560	6-481-11HH	
		3560	6-481-14HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1000 GPM	185	427	1770	6-485-17A
			1770	6-485-16B
			1780	6-485-16
			3560	5-481-11B
			3560	6-481-11HH
			3560	6-481-14HH
	188	434	1770	6-485-16B
	190	439	1770	6-485-17A
			1780	6-485-16
			3560	5-481-11B
			3560	6-481-11HH
			3560	6-481-14HH
	195	450	1770	6-485-17A
			1780	6-485-16
			3560	5-481-11B
			3560	6-481-11HH
			3560	6-481-14HH
	200	462	1770	6-485-17A
			1780	6-485-16
			3560	5-481-11B
			3560	6-481-11HH
	202	467	3560	6-481-14HH
			1780	6-485-16
			1770	6-485-17A
205	474	3560	6-481-11HH	
		3560	6-481-14HH	
		1770	6-485-17A	
210	485	3560	6-481-11HH	
		3560	6-481-14HH	
		1770	6-485-17A	
215	497	3560	6-481-11HH	
		3560	6-481-14HH	
		1770	6-485-17A	
219	506	3560	6-481-11HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1000 GPM	220	508	1770	6-485-17A
			3560	6-481-14HH
	225	520	1770	6-485-17A
			3560	6-481-14HH
	230	531	1770	6-485-17A
			3560	6-481-14HH
	235	543	1770	6-485-17A
			3560	6-481-14HH
	240	554	1770	6-485-17A
			3560	6-481-14HH
	245	566	3560	6-481-14HH
	250	578	3560	6-481-14HH
	255	589	3560	6-481-14HH
	260	601	3560	6-481-14HH
	265	612	3560	6-481-14HH
	270	624	3560	6-481-14HH
275	635	3560	6-481-14HH	
280	647	3560	6-481-14HH	
285	658	3560	6-481-14HH	
287	663	3560	6-481-14HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1250 GPM	45	104	1770	8-481-12
	50	116	1770	8-481-12
	52	120	1770	8-481-12
	55	127	1770	6-481-15C
	60	139	1770	6-481-15C
	63	146	1770	6-481-15C
	65	150	1770	6-481-15C
			1780	5-491-14A
	70	162	1770	6-481-15C
			1780	5-491-14A
	75	173	1770	6-481-15C
			1780	5-491-14A
	80	185	1770	6-481-15C
			1780	5-491-14A
	84	194	1770	6-481-15C
			1780	5-491-14A
	85	196	1770	6-481-15C
			1770	6-481-20
	90	208	1770	6-481-15C
			1770	6-481-20
	93	215	1770	6-481-15C
			1770	6-481-20
	95	219	1770	6-481-15C
			1770	6-481-20
	100	231	1770	6-481-18B
			1770	6-481-20
	105	243	1770	6-481-18B
			1770	6-481-20
	110	254	1770	6-481-18B
			1770	6-481-20
	115	266	1770	6-481-18B
			1770	6-481-20
118	273	1770	6-481-18B	
		1770	6-481-20	
119	275	1780	5-491-18AU*	
		1770	6-481-18B	
		1770	6-481-20	
120	277	1770	6-481-18B	
		1770	6-481-20	
125	289	1780	5-491-18AU*	
		1770	6-481-18B	
		1770	6-481-20	
130	300	1780	5-491-18AU*	
		1770	6-481-18B	
		1770	6-481-20	
132	305	3560	6-481-11HH	
134	310	1780	5-491-18AU*	
		1770	6-481-18B	
		1770	6-481-20	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1250 GPM	135	312	1770	6-481-18B
			1770	6-481-20
			3560	6-481-11HH
	139	321	1780	6-485-16
			1770	6-481-20
	140	323	1770	6-481-18B
			1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			1770	6-481-20
	145	335	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-481-20
	147	340	1775	8-481-21
			1770	6-481-20
	150	347	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-481-20
	152	351	1775	8-481-21
			1770	6-481-20
	155	358	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-481-20
	160	370	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
			1770	6-481-20
	164	379	1775	8-481-21
			1770	6-481-20
165	381	1775	8-481-21	
		1780	6-485-16	
		3560	6-481-11HH	
		3560	6-481-14HH	
		1770	6-481-20	
168	388	1770	6-481-20	
		1775	8-481-21	
170	393	1780	6-485-16	
		3560	6-481-11HH	
		3560	6-481-14HH	
		1775	8-481-21	
		1780	6-485-16	
175	404	3560	6-481-11HH	
		3560	6-481-14HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1250 GPM	180	416	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
	185	427	1775	8-481-21
			1780	6-485-16
			3560	6-481-11HH
			3560	6-481-14HH
	189	437	1780	6-485-16
	190	439	1775	8-481-21
			3560	6-481-11HH
			3560	6-481-14HH
	193	446	1775	8-481-21
	195	450	1775	8-481-21
			3560	6-481-11HH
			3560	6-481-14HH
	200	462	3560	6-481-11HH
			3560	6-481-14HH
	205	474	3560	6-481-11HH
			3560	6-481-14HH
	210	485	3560	6-481-11HH
			3560	6-481-14HH
	215	497	3560	6-481-11HH
			3560	6-481-14HH
	216	499	3560	6-481-11HH
	220	508	3560	6-481-14HH
	225	520	3560	6-481-14HH
	230	531	3560	6-481-14HH
	235	543	3560	6-481-14HH
	240	554	3560	6-481-14HH
245	566	3560	6-481-14HH	
250	578	3560	6-481-14HH	
255	589	3560	6-481-14HH	
260	601	3560	6-481-14HH	
265	612	3560	6-481-14HH	
270	624	3560	6-481-14HH	
275	635	3560	6-481-14HH	
280	647	3560	6-481-14HH	
285	658	3560	6-481-14HH	
287	663	3560	6-481-14HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1500 GPM	40	92	1770	8-481-12
	45	104	1770	8-481-12
	50	116	1770	6-481-15
			1770	8-481-12
	55	127	1770	6-481-15
	60	139	1770	6-481-15
	65	150	1770	6-481-15
	70	162	1770	6-481-15
	71	164	1770	6-481-15C
	75	173	1770	6-481-15
			1770	6-481-15C
	80	185	1770	6-481-15
			1770	6-481-15C
			1770	6-481-20
	81	187	1770	6-481-15C
			1770	6-481-20
	85	196	1770	6-481-15
			1770	6-481-15C
			1770	6-481-20
	90	208	1770	6-481-15
			1770	6-481-15C
			1770	6-481-20
	95	219	1770	6-481-18B
			1770	6-481-20
	100	231	1770	6-481-18B
			1770	6-481-20
			3550	6-492-10
	105	243	1770	6-481-18B
			1770	6-481-20
			3550	6-492-10
	110	254	1770	6-481-18B
			1770	6-481-20
3550			6-492-10	
115	266	1770	6-481-18B	
		1770	6-481-20	
		3550	6-492-10	
120	277	1770	6-481-18B	
		1770	6-481-20	
		3550	6-492-10	
125	289	1770	6-481-18B	
		1770	6-481-20	
		3550	6-492-10	
130	300	1770	6-481-18B	
		1770	6-481-20	
		3550	6-492-10	
135	312	1770	6-481-20	
		3550	6-492-10	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1500 GPM	140	323	1770	6-481-20
			1770	8-481-21
			3550	6-492-10
	142	328	3560	6-481-11HH
			1770	6-481-20
	145	335	1770	8-481-21
			3550	6-492-10
			3560	6-481-11HH
	150	347	1770	6-481-20
			1770	8-481-21
			3550	6-492-10
			3560	6-481-11HH
	155	358	1770	6-481-20
			1770	8-481-21
			3550	6-492-10
			3560	6-481-11HH
	158	365	3560	6-481-14HH
	160	370	1770	6-481-20
			1770	8-481-21
			3550	6-492-10
			3560	6-481-11HH
			3560	6-481-14HH
	165	381	1770	6-481-20
			3550	6-492-10
			3560	6-481-11HH
			3560	6-481-14HH
	170	393	1770	8-481-21
			3550	6-492-10
			3560	6-481-11HH
			3560	6-481-14HH
	175	404	1770	8-481-21
			3550	6-492-10
3560			6-481-11HH	
3560			6-481-14HH	
180	416	1770	8-481-21	
		3560	6-481-11HH	
		3560	6-481-14HH	
185	427	1770	8-481-21	
		3560	6-481-11HH	
		3560	6-481-14HH	
190	439	1770	8-481-21	
		3560	6-481-11HH	
195	450	3560	6-481-14HH	
		1770	8-481-21	
		3560	6-481-11HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
1500 GPM	200	462	1770	8-481-21
			3560	6-481-11HH
			3560	6-481-14HH
	205	474	3560	6-481-11HH
			3560	6-481-14HH
	209	483	3560	6-481-11HH
	210	485	3560	6-481-14HH
	215	497	3560	6-481-14HH
	220	508	3560	6-481-14HH
	225	520	3560	6-481-14HH
	230	531	3560	6-481-14HH
	235	543	3560	6-481-14HH
	240	554	3560	6-481-14HH
	245	566	3560	6-481-14HH
	250	578	3560	6-481-14HH
	255	589	3560	6-481-14HH
	260	601	3560	6-481-14HH
	265	612	3560	6-481-14HH
270	624	3560	6-481-14HH	
275	635	3560	6-481-14HH	
280	647	3560	6-481-14HH	
283	654	3560	6-481-14HH	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
2000 GPM	53	122	1770	8-481-17B
	55	127	1770	8-481-17B
	60	139	1770	8-481-17B
	62	143	1770	8-481-17B
	65	150	1770	8-481-17B
	70	162	1770	8-481-17B
	75	173	1770	8-481-17B
	80	185	1770	6-481-15B
			1770	8-481-17B
	85	196	1770	6-481-15B
			1770	8-481-17B
	90	208	1770	6-481-15B
			1770	8-481-17B
	95	219	1770	6-481-15B
			1770	8-481-17B
	100	231	1770	6-481-15B
			1770	6-481-18C
			1770	8-481-17B
	105	243	1770	6-481-18C
			1770	8-481-17B
	110	254	1770	6-481-18C
			1770	8-481-17B
	115	266	1770	6-481-18C
			1770	8-481-17B
	120	277	1770	6-481-18C
			1770	8-481-17B
	125	289	1770	6-481-18C
			1770	8-481-20
	130	300	1770	6-481-18C
			1770	6-481-20
1770			8-481-17B	
135	312	1770	8-481-21	
		1770	6-481-18C	
		1770	6-481-20	
140	323	1770	8-481-21	
		1770	6-481-18C	
		1770	6-481-20	
145	335	1770	6-481-20	
		1770	8-481-21	
150	347	1770	6-481-20	
		1770	8-481-21	
155	358	1770	6-491-19A	
		1770	8-481-21	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
2000 GPM	160	370	1770	8-481-21
	165	381	1770	8-481-21
	167	386	1770	8-481-24
	170	393	1770	8-481-21
			1770	8-481-24
	175	404	1770	8-481-21
			1770	8-481-24
	180	416	1770	8-481-21
			1770	8-481-24
	185	427	1770	8-481-21
			1770	8-481-24
	190	439	1770	8-481-21
			1770	8-481-24
	195	450	1770	8-481-21
			1770	8-481-24
200	462	1770	8-481-24	
205	474	1770	8-481-24	
210	485	1770	8-481-24	
214	494	1770	8-481-24	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
2500 GPM	50	116	1770	8-491-14A
	55	127	1770	8-491-14A
	60	139	1770	8-491-14A
	65	150	1770	8-491-14A
	70	162	1770	8-491-14A
	74	171	1770	8-491-14A
	75	173	1770	8-481-17B
	80	185	1770	8-481-17B
	85	196	1770	8-481-17B
	90	208	1770	8-481-17B
	95	219	1770	8-481-17B
	100	231	1770	8-481-17B
	105	243	1770	8-481-17B
	110	254	1770	8-481-17B
	115	266	1770	8-481-17B
	120	277	1770	8-481-17B
	125	289	1770	8-481-17B
			1770	8-481-21A
	130	300	1770	8-481-21A
			1770	8-481-17B
	135	312	1770	8-491-18A
			1770	8-481-21A
	140	323	1770	8-481-21A
	145	335	1770	8-481-21A
	150	347	1770	8-481-21A
	155	358	1770	8-481-21A
	160	370	1770	8-481-21A
			1770	8-481-24
	165	381	1770	8-481-21A
			1770	8-481-24
	170	393	1770	8-481-21A
			1770	8-481-24
175	404	1770	8-481-21A	
		1770	8-481-24	
180	416	1770	8-481-21A	
		1770	8-481-24	
185	427	1770	8-481-21A	
		1770	8-481-24	
190	439	1770	8-481-21A	
		1770	8-481-24	
193	446	1770	8-481-21A	
195	450	1770	8-481-24	
200	462	1770	8-481-24	
205	474	1770	8-481-24	
210	485	1770	8-481-24	
215	497	1770	8-481-24	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
3000 GPM	60	139	1770	8-491-14AU*
	65	150	1770	8-491-14AU*
	70	162	1770	8-491-14AU*
	75	173	1770	8-491-14AU*
	79	182	1770	8-491-14AU*
	80	185	1770	8-491-14A
	90	208	1770	10-481-18D
	95	219	1770	10-481-18D
	100	231	1775	10-481-18
			1770	10-481-18D
	102	236	1775	10-481-18
	104	240	1770	8-491-18A
			1775	10-481-18
	105	243	1770	8-491-18A
			1775	10-481-18
	110	254	1770	10-481-18D
			1775	10-481-18
	115	266	1770	8-491-18A
			1775	10-481-18
	120	277	1770	10-481-18D
			1775	8-491-18A
	125	289	1770	10-481-18
			1775	10-481-18D
	130	300	1770	8-491-18A
			1775	10-481-18
	135	312	1770	10-481-18D
			1775	10-481-18
	138	319	1770	10-481-18D
140	323	1770	10-492-18	
		1775	10-481-18	
145	335	1770	10-492-18	
		1775	10-481-18	
150	347	1770	10-492-18	
153	353	1770	10-492-18	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
3500 GPM	88	203	1770	10-481-18D
	90	208	1770	10-481-18D
	95	219	1770	10-481-18D
	99	229	1770	10-492-18
	100	231	1775	10-481-18
			1770	10-481-18D
	105	243	1775	10-481-18
			1770	10-481-18D
	110	254	1775	10-481-18
			1770	10-481-18D
	115	266	1775	10-481-18
			1770	10-481-18D
	120	277	1770	10-492-18
			1775	10-481-18
			1770	10-481-18D
	125	289	1770	10-492-18
			1775	10-481-18
			1770	10-481-18D
	130	300	1770	10-492-18
			1775	10-481-18
1770			10-481-18D	
135	312	1770	10-492-18	
		1775	10-481-18	
		1770	10-481-18D	
140	323	1770	10-492-18	
		1775	10-481-18	
145	335	1770	10-492-18	
151	349	1770	10-492-18	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
4000 GPM	85	196	1770	10-481-18D
	90	208	1770	10-481-18D
	94	217	1785	10-491-20
	95	219	1775	10-481-18
			1785	10-491-20
			1770	10-481-18D
	100	231	1775	10-481-18
			1785	10-491-20
			1770	10-481-18D
	105	243	1775	10-481-18
			1785	10-491-20
			1770	10-481-18D
	109	252	1775	10-481-18
			1785	10-491-20
	110	254	1775	10-481-18
			1785	10-491-20
			1770	10-481-18D
	115	266	1785	10-491-20
			1770	10-481-18D
	120	277	1785	10-491-20
			1770	10-481-18D
	125	289	1785	10-491-20
			1770	10-481-18D
	130	300	1785	10-491-20
			1770	10-481-18D
	134	310	1770	10-481-18D
	135	312	1785	10-491-20
	140	323	1785	10-491-20
145	335	1785	10-491-20	
150	347	1785	10-491-20	
155	358	1785	10-491-20	
160	370	1785	10-491-20	
165	381	1785	10-491-20	
170	393	1785	10-491-20	
175	404	1785	10-491-20	
180	416	1785	10-491-20	
185	427	1785	10-491-20	
190	439	1785	10-491-20	
195	450	1785	10-491-20	
198	457	1785	10-491-20	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
4500 GPM	81	187	1770	10-481-18D
	85	196	1770	10-481-18D
	90	208	1785	10-491-20
			1770	10-481-18D
	95	219	1785	10-491-20
			1770	10-481-18D
	100	231	1785	10-491-20
			1770	10-481-18D
	105	243	1785	10-491-20
			1770	10-481-18D
	110	254	1785	10-491-20
			1770	10-481-18D
	115	266	1785	10-491-20
			1770	10-481-18D
	119	275	1785	10-491-20
			1770	10-481-18D
	120	277	1785	10-491-20
			1770	10-481-18D
	125	289	1785	10-491-20
			1770	10-481-18D
	130	300	1785	10-491-20
			1770	10-481-18D
	132	305	1770	10-481-18D
135	312	1785	10-491-20	
140	323	1785	10-491-20	
145	335	1785	10-491-20	
150	347	1785	10-491-20	
155	358	1785	10-491-20	
160	370	1785	10-491-20	
165	381	1785	10-491-20	
170	393	1785	10-491-20	
175	404	1785	10-491-20	
180	416	1785	10-491-20	
185	427	1785	10-491-20	
188	434	1785	10-491-20	
190	439	1785	10-491-20	
195	450	1785	10-491-20	

For further details on pump performance, please contact your local Aurora fire pump distributor.

AURORA® SELECTION TABLES

Horizontal Split Case Fire Pump

60 Hz Electric Motor Driven

Electric Driven				
Flow	Pressure		Speed (rpm)	Pump Size and Model
	(psi)	(TDH)		
5000 GPM	88	203	1785	10-491-20
	90	208	1785	10-491-20
	91	210	1770	10-481-18D
	95	219	1785	10-491-20
			1770	10-481-18D
	100	231	1785	10-491-20
			1770	10-481-18D
	101	233	1785	10-491-20
	102	236	1785	10-491-20
	105	243	1785	10-491-20
			1770	10-481-18D
	110	254	1785	10-491-20
			1770	10-481-18D
	114	263	1785	10-491-20
	115	266	1785	10-491-20
			1770	10-481-18D
	120	277	1785	10-491-20
			1770	10-481-18D
	125	289	1785	10-491-20
			1770	10-481-18D
130	300	1785	10-491-20	
		1770	10-481-18D	
135	312	1785	10-491-20	
140	323	1785	10-491-20	
145	335	1785	10-491-20	
150	347	1785	10-491-20	
155	358	1785	10-491-20	
160	370	1785	10-491-20	
165	381	1785	10-491-20	
170	393	1785	10-491-20	
175	404	1785	10-491-20	
180	416	1785	10-491-20	
185	427	1785	10-491-20	
190	439	1785	10-491-20	

For further details on pump performance, please contact your local Aurora fire pump distributor.